

Monthly Notices

OF THE

Royal Astronomical Society

VOLUME 282

1996 SEPTEMBER–OCTOBER

The Board of Editors

PROFESSOR M. J. BARLOW, DEPARTMENT OF PHYSICS AND ASTRONOMY, UNIVERSITY COLLEGE LONDON

DR R. F. CARSWELL (DEPUTY MANAGING EDITOR), INSTITUTE OF ASTRONOMY, CAMBRIDGE

DR J. E. DREW, ASTRONOMY GROUP, BLACKETT LABORATORY, IMPERIAL COLLEGE LONDON

PROFESSOR A. C. FABIAN FRS (MANAGING EDITOR), INSTITUTE OF ASTRONOMY, CAMBRIDGE

PROFESSOR M. W. FEAST, DEPARTMENT OF ASTRONOMY, UNIVERSITY OF CAPE TOWN

PROFESSOR D. R. FLOWER, DEPARTMENT OF PHYSICS, UNIVERSITY OF DURHAM

PROFESSOR D. C. HEGGIE, DEPARTMENT OF MATHEMATICS & STATISTICS, UNIVERSITY OF EDINBURGH

DR D. W. HUGHES, DEPARTMENT OF PHYSICS, UNIVERSITY OF SHEFFIELD

PROFESSOR F. D. KAHN, DEPARTMENT OF ASTRONOMY, UNIVERSITY OF MANCHESTER

PROFESSOR J. C. B. PAPALOIZOU, SCHOOL OF MATHEMATICAL SCIENCES, QUEEN MARY & WESTFIELD COLLEGE LONDON

PROFESSOR M. J. WARD, DEPARTMENT OF PHYSICS & ASTRONOMY, UNIVERSITY OF LEICESTER

PROFESSOR S. D. M. WHITE, MAX-PLANCK-INSTITUT FÜR ASTROPHYSIK, GARCHING BEI MÜNCHEN

Published for the
Royal Astronomical Society by
Blackwell Science

OXFORD LONDON EDINBURGH
BOSTON MELBOURNE
PARIS BERLIN VIENNA

List of key words used in the annual subject indexes

(valid from January 1996)

This list is common to *Monthly Notices of the Royal Astronomical Society*, *Astronomy and Astrophysics*, and *The Astrophysical Journal*. In order to ease the search, the key words are subdivided into broad categories. No more than six subcategories altogether should be listed for a paper.

The subcategories in boldface containing the word 'individual' are intended for use with specific astronomical objects; these should never be used alone, but always in combination with the most common names for the astronomical objects in question. Note that each object counts as one subcategory within the allowed limit of six.

The parts of the key words in italics are for reference only and should be omitted when the key words are entered on the manuscript.

General

book reviews
editorials, notices
errata, addenda
extraterrestrial intelligence
history and philosophy of astronomy
miscellaneous
obituaries, biographies

Physical data and processes

acceleration of particles
accretion, accretion discs
atomic data
atomic processes
black hole physics
chaos
conduction
convection
cosmic strings
dense matter
diffusion
elementary particles
equation of state
gravitation
hydrodynamics
instabilities
line: formation
line: identification
line: profiles
magnetic fields
(*magnetohydrodynamics*) MHD
masers
molecular data
molecular processes
nuclear reactions, nucleosynthesis, abundances
plasmas
polarization

radiation mechanisms: nonthermal
radiation mechanisms: thermal
radiative transfer
relativity
scattering
shock waves
turbulence
waves

Astronomical instrumentation, methods and techniques

atmospheric effects
balloons
instrumentation: detectors
instrumentation: interferometers
instrumentation: miscellaneous
instrumentation: photometers
instrumentation: polarimeters
instrumentation: spectrographs
methods: analytical
methods: data analysis
methods: laboratory
methods: miscellaneous
methods: numerical
methods: observational
methods: statistical
site testing
space vehicles
techniques: image processing
techniques: interferometric
techniques: miscellaneous
techniques: photometric
techniques: polarimetric
techniques: radar astronomy
techniques: radial velocities
techniques: spectroscopic
telescopes

Astronomical data bases

astronomical data bases: miscellaneous
atlases
catalogues
surveys

Astrometry and celestial mechanics

astrometry
celestial mechanics, stellar dynamics
eclipses
ephemerides
occultations
reference systems
time

The Sun

Sun: abundances
Sun: activity
Sun: atmosphere
Sun: chromosphere
Sun: corona
Sun: evolution
Sun: faculae, plages
Sun: filaments
Sun: flares
Sun: fundamental parameters
Sun: general
Sun: granulation
Sun: infrared
Sun: interior
Sun: magnetic fields
Sun: oscillations
Sun: particle emission
Sun: photosphere
Sun: prominences
Sun: radio radiation
Sun: rotation
(Sun:) solar-terrestrial relations
(Sun:) solar wind
(Sun:) sunspots
Sun: transition region
Sun: UV radiation
Sun: X-rays, gamma-rays

Solar system

comets: general
comets: individual: ...
Earth
interplanetary medium
meteors, meteoroids
minor planets, asteroids
Moon
planets and satellites: general
planets and satellites: individual: ...
Solar system: formation
Solar system: general

Stars

stars: abundances
stars: activity
stars: AGB and post-AGB
stars: atmospheres
(stars:) binaries (including multiple): close
(stars:) binaries: eclipsing
(stars:) binaries: general
(stars:) binaries: spectroscopic
(stars:) binaries: symbiotic
(stars:) binaries: visual
(stars:) blue stragglers
stars: carbon
stars: chemically peculiar
stars: chromospheres
(stars:) circumstellar matter
stars: coronae
stars: distances
stars: early-type

stars: emission-line, Be
stars: evolution
stars: flare
stars: formation
stars: fundamental parameters (classification, colours, luminosities, masses, radii, temperatures, etc.)
stars: general
(stars:) Hertzsprung-Russell (HR) diagram
stars: horizontal branch
stars: imaging
stars: individual: ...
stars: interiors
stars: kinematics
stars: late-type
stars: low-mass, brown dwarfs
stars: luminosity function, mass function
stars: magnetic fields
stars: mass-loss
stars: neutron
(stars:) novae, cataclysmic variables
stars: oscillations (including pulsations)
stars: peculiar (except chemically peculiar)
(stars:) planetary systems
stars: Population II
stars: pre-main-sequence
(stars:) pulsars: general
(stars:) pulsars: individual: ...
stars: rotation
stars: statistics
(stars:) subdwarfs
(stars:) supergiants
(stars:) supernovae: general
(stars:) supernovae: individual: ...
(stars: variables:) Cepheids
(stars: variables:) δ Scuti
stars: variables: other
(stars:) white dwarfs
stars: Wolf-Rayet

Interstellar medium (ISM), nebulae

ISM: abundances
ISM: atoms
ISM: bubbles
ISM: clouds
(ISM:) cosmic rays
(ISM:) dust, extinction
ISM: general
ISM: globules
(ISM:) H II regions
ISM: individual: ...
(except planetary nebulae)
ISM: jets and outflows
ISM: kinematics and dynamics
ISM: magnetic fields
ISM: molecules
(ISM:) planetary nebulae: general
(ISM:) planetary nebulae: individual: ...
(ISM:) reflection nebulae
ISM: structure
(ISM:) supernova remnants

The Galaxy

Galaxy: abundances
Galaxy: centre
Galaxy: evolution
Galaxy: formation
Galaxy: fundamental parameters
Galaxy: general
(Galaxy:) globular clusters: general
(Galaxy:) globular clusters: individual: ...
Galaxy: halo
Galaxy: kinematics and dynamics
(Galaxy:) open clusters and associations: general
(Galaxy:) open clusters and associations: individual: ...
(Galaxy:) solar neighbourhood
Galaxy: stellar content
Galaxy: structure

Galaxies

galaxies: abundances
galaxies: active
(galaxies:) BL Lacertae objects: general
(galaxies:) BL Lacertae objects: individual: ...
galaxies: clusters: general
galaxies: clusters: individual: ...
galaxies: compact
(galaxies:) cooling flows
galaxies: distances and redshifts
galaxies: elliptical and lenticular, cD
galaxies: evolution
galaxies: formation
galaxies: fundamental parameters
(classification, colours, luminosities, masses, radii, etc.)
galaxies: general
galaxies: haloes
galaxies: individual: ...
galaxies: interactions
(galaxies:) intergalactic medium
galaxies: ISM
galaxies: irregular
galaxies: jets
galaxies: kinematics and dynamics
(galaxies:) Local Group
galaxies: luminosity function, mass function
(galaxies:) Magellanic Clouds
galaxies: magnetic fields
galaxies: nuclei
galaxies: peculiar
galaxies: photometry
(galaxies:) quasars: absorption lines
(galaxies:) quasars: emission lines
(galaxies:) quasars: general

(galaxies:) quasars: individual: ...

galaxies: Seyfert
galaxies: spiral
galaxies: starburst
galaxies: star clusters
galaxies: statistics
galaxies: stellar content
galaxies: structure

Cosmology

(cosmology:) cosmic microwave background
cosmology: miscellaneous
cosmology: observations
cosmology: theory
(cosmology:) dark matter
(cosmology:) diffuse radiation
(cosmology:) distance scale
(cosmology:) early Universe
(cosmology:) gravitational lensing
(cosmology:) large-scale structure of Universe

Sources as a function of wavelength

gamma-rays: bursts
gamma-rays: observations
gamma-rays: theory
infrared: galaxies
infrared: general
infrared: ISM: continuum
infrared: ISM: lines and bands
infrared: Solar system
infrared: stars
radio continuum: galaxies
radio continuum: general
radio continuum: ISM
radio continuum: Solar system
radio continuum: stars
radio lines: galaxies
radio lines: general
radio lines: ISM
radio lines: Solar system
radio lines: stars
ultraviolet: galaxies
ultraviolet: general
ultraviolet: ISM
ultraviolet: Solar system
ultraviolet: stars
X-rays: bursts
X-rays: galaxies
X-rays: general
X-rays: ISM
X-rays: stars

SUBJECT INDEX

General

- Erratum: The M5 RR Lyrae population (Reid N.), **282**, 304
 Erratum: Infrared spectroscopy of high-redshift quasars (Baker A.C., Carswell R.F., Bailey J.A., Espey B.R., Smith M.G., Ward M.J.), **282**, 704
 Editorial: submission of papers in T_EX or L^AT_EX, **282**, 1105

Physical data and processes

- Multicolour eclipse studies of UU Aquarii – II. The accretion disc (Baptista R., Steiner J.E., Horne K.), **282**, 99
 A paradigm revisited: the accretion disc in AGNs and quasars (Gondhalekar P.M., Rouillon-Foley C., Kellett B.J.), **282**, 117
 A search for rapid variability in T Tauri stars (Smith K.W., Jones D.H.P., Clarke C.J.), **282**, 167
 A coordinated campaign on the intermediate polar AE Aqr – I. The system parameters (Casares J., Mouchet M., Martinez-Pais I.G., Harlaftis E.T.), **282**, 182
 Have superhumps been seen in black hole soft X-ray transients? (O'Donoghue D., Charles P.A.), **282**, 191
 Newtonian cosmology revisited (Tipler F.J.), **282**, 206
 Solar neutrinos and dark matter: cosmions, CHAMPs or ... DAEMONS? (Drobyshevski E.M.), **282**, 211
 Maclaurin discs and bifurcations to rings (Kley W.), **282**, 234
 BVR imaging polarimetric studies of the galaxy NGC 5128 (Scarrott S.M., Foley N.B., Gledhill T.M., Wolstencroft R.D.), **282**, 252
 The realignment of a black hole misaligned with its accretion disc (Scheuer P.A.G., Feiler R.), **282**, 291
 Self-gravitating disc-like magnetic gas clouds (Barker D.M., Mestel L.), **282**, 317
 Multifrequency observations of the eclipsing symbiotic triple system CH Cyg during the 1992–94 active phase (Skopal A. et al.), **282**, 327
 Production and loss of the water-related species H₂O⁺, H₂O and OH in dense interstellar clouds (Williams T.L., Adams N.G., Babcock L.M., Herd C.R., Geoghegan M.), **282**, 413
 Simulations of the Raman-scattered O VI emission lines in symbiotic stars (Schmid H.M.), **282**, 511
 Ergoregion instability revisited – a new and general method for numerical analysis of stability (Yoshida S., Eriguchi Y.), **282**, 580
 Radio observations in NH₃ and C₂S towards small molecular clouds and around pre-main-sequence stars (Scappini F., Codella C.), **282**, 587
 The tidally induced warping, precession and truncation of accretion discs in binary systems: three-dimensional simulations (Larwood J.D., Nelson R.P., Papaloizou J.C.B., Terquem C.), **282**, 597
 The average X-ray/gamma-ray spectrum of radio-quiet Seyfert 1s (Gondek D., Zdziarski A.A., Johnson W.N., George I.M., McNaron-Brown K., Magdziarz P., Smith D., Gruber D.E.), **282**, 646
 Proper motions of water vapour masers and bipolar outflow from NML Cygni (Richards A.M.S., Yates J.A., Cohen R.J.), **282**, 665
 Optical polarization and X-ray data on the AM Her star RE J1844–74 (Ramsay G., Cropper M., Wu K., Potter S.), **282**, 726
 Dwarf nova outbursts in truncated accretion discs: down with low alphas (Warner B., Livio M., Tout C.A.), **282**, 735
 A revival of Newton's theory of gravitation (Wild J.P.), **282**, 763
 The internight variability of the optical to near-infrared flux density and polarization of the blazars 0215 + 015 and 0851 + 202 during outbursts (Brindle C.), **282**, 788
 On the formation of metal cyanides and related compounds in the circumstellar envelope of IRC + 10216 (Petrie S.), **282**, 807
 Neutron star magnetic field dynamics and its evolution (Kebede L.W.), **282**, 845
 The linear polarization of non-magnetic cataclysmic variables (Naylor T., Koch-Miramond L., Ringwald F.A., Evans A.), **282**, 873
 The emission-line spectrum of the hot R Coronae Borealis star MV Sgr (Pandey G., Kameswara Rao N., Lambert D.L.), **282**, 889
 Scale-free dynamical models for galaxies: flattened densities in spherical potentials (de Bruijne J.H.J., van der Marel R.P., de Zeeuw P.T.), **282**, 909

- An accretion model for the eclipsing cataclysmic variable PG 0859 + 415 (Still M.D.), **282**, 943
 Polarization from magnetized accretion discs in active galactic nuclei (Agol E., Blaes O.), **282**, 965
 Infrared spectroscopy of V404 Cygni: limits on the accretion disc contamination (Shahbaz T., Bandyopadhyay R., Charles P.A., Naylor T.), **282**, 977
 Viscous damping in self-gravitating accretion discs (Drimmel R.), **282**, 982
 Radiative transfer models of dusty galactic discs (Corradi R.L.M., Beckman J.E., Simonneau E.), **282**, 1005
 A self-colliding stellar wind model for SN 1979C (Schwarz D.H., Pringle J.E.), **282**, 1018
 The variable iron K emission line in MCG–6–30–15 (Iwasawa K., Fabian A.C., Reynolds C.S., Nandra K., Otani C., Inoue H., Hayashida K., Brandt W.N., Dotani T., Kunieda H., Matsuoka M., Tanaka Y.), **282**, 1038
 Ohmic decay of magnetic flux expelled from neutron star interiors (Bhattacharya D., Datta B.), **282**, 1059
 A search for 5₁–6₀ A⁺-methanol masers towards faint IRAS sources (van der Walt D.J., Retief S.J.P., Gaylard M.J., MacLeod G.C.), **282**, 1085
 Non-reflective boundary conditions and the viscous instability in accretion discs (Godon P.), **282**, 1107
 Precessing jets and molecular outflows: a 3D numerical study (Cliffe J.A., Frank A., Jones T.W.), **282**, 1114
 Potential-density basis sets in axisymmetric coordinates (Robijn F.H.A., Eam D.J.D.), **282**, 1129
 New parametrizations of non-Gaussian line-of-sight velocity distributions (Zhao H., Prada F.), **282**, 1223
 Molecular emission ahead of Herbig–Haro bow shocks (Taylor S.D., Williams D.A.), **282**, 1343
 The ultraviolet polarization of the Crab pulsar (Graham-Smith F., Dolan J.F., Boyd P.T., Biggs J.D., Lyne A.G., Percival J.W.), **282**, 1354
 SiO masers in Mira variables at a single stellar phase (Humphreys E.M.L., Gray M.D., Yates J.A., Field D., Bowen G., Diamond P.J.), **282**, 1359
 A possible isotope shift in the spectrum of a diffuse interstellar band (Webster A.), **282**, 1372
 Linear and circular imaging polarimetry of the Chamaeleon infrared nebula (Gledhill T.M., Chrysostomou A., Hough J.H.), **282**, 1418
 An atlas of optical continuum and line emission from low-mass X-ray binaries (Shahbaz T., Smale A.P., Naylor T., Charles P.A., van Paradijs J., Hassall B.J.M., Callanan P.), **282**, 1437
 Non-radial pulsations and stability of massive stars (Glatzel W., Mehren S.), **282**, 1470
 Chemistry in anisotropic asymptotic giant branch winds (Howe D.A., Millar T.J.), **282**, L21
 An ellipsoidal modulation in X-ray Nova Vela 1993 (= GR 1009–45) (Shahbaz T., van der Hooft F., Charles P.A., Casares J., van Paradijs J.), **282**, L47
 Iron K α line intensity from accretion discs around rotating black holes (Martocchia A., Matt G.), **282**, L53

Astronomical instrumentation, methods and techniques

- Direct collisional simulation of 10 000 particles past core collapse (Spurzem R., Aarseth S.J.), **282**, 19
 A paradigm revisited: the accretion disc in AGNs and quasars (Gondhalekar P.M., Rouillon-Foley C., Kellett B.J.), **282**, 117
 Made-to-measure N-body systems (Syer D., Tremaine S.), **282**, 223
 UBV(RI)_C observations of Johnson's standard sequence in IC 4665 (Menzies J.W., Marang F.), **282**, 313
 An analytic model for the spatial clustering of dark matter haloes (Mo H.J., White S.D.M.), **282**, 347
 The light-curve reconstruction method for measuring the time delay of gravitational lens systems (Geiger B., Schneider P.), **282**, 530
 Ergoregion instability revisited – a new and general method for numerical analysis of stability (Yoshida S., Eriguchi Y.), **282**, 580
 Existence of non-axisymmetric polytropes sustained by internal motions (Uryū K., Eriguchi Y.), **282**, 653

- Observations of pulsar glitches (Shemar S.L., Lyne A.G.), **282**, 677
- Dwarf nova outbursts in truncated accretion discs: down with low alphas (Warner B., Livio M., Tout C.A.), **282**, 735
- Correction of atmospheric dispersion in the infrared (Wynne C.G.), **282**, 863
- Non-reflective boundary conditions and the viscous instability in accretion discs (Godon P.), **282**, 1107
- Potential-density basis sets in axisymmetric coordinates (Robijn F.H.A., Earn D.J.D.), **282**, 1129
- Equilibria of flat and round galactic discs (Pichon C., Lynden-Bell D.), **282**, 1143
- A statistical test for correlation between crater formation rate and mass extinctions (Matsumoto M., Kubotani H.), **282**, 1407
- The superiority of the minimal spanning tree in percolation analyses of cosmological data sets (Bhavsar S.P., Splinter R.J.), **282**, 1461

Astronomical data bases

- Reduction of the COSMOS Southern Sky galaxy survey data to the RC3 standard system (Rousseau J., Di Nella H., Paturel G., Petit C.), **282**, 144
- ROSAT observations of 3C radio-loud sources (Prieto M.A.), **282**, 421
- A search for radio pulsars in globular clusters, supernova remnants and transient X-ray sources (Biggs J.D., Lyne A.G.), **282**, 691
- The 7C survey of radio sources at 151 MHz—a region covering RA 9^h to 16^h and Dec. 20° to 35° (Waldram E.M., Yates J.A., Riley J.M., Warner P.J.), **282**, 779
- A deep ROSAT survey—XI. Enhanced X-ray emission from faint galaxies (Roche N., Griffiths R.E., Della Ceca R., Shanks T., Boyle B.J., Georgantopoulos I., Stewart G.C.), **282**, 820
- A survey for high-redshift radio-loud quasars: optical spectroscopy of $S > 0.2$ Jy, flat-spectrum radio sources (Hook I.M., McMahon R.G., Irwin M.J., Hazard C.), **282**, 1274
- Large-scale fluctuations in the distribution of galaxies (Baugh C.M.), **282**, 1413
- An atlas of optical continuum and line emission from low-mass X-ray binaries (Shahbaz T., Smale A.P., Naylor T., Charles P.A., van Paradijs J., Hassall B.J.M., Callanan P.), **282**, 1437
- A wide-field K-band survey—I. Galaxy counts in B , V , I and K (Gardner J.P., Sharples R.M., Carrasco B.E., Frenk C.S.), **282**, L1

Astrometry and celestial mechanics

- Direct collisional simulation of 10 000 particles past core collapse (Spurzem R., Aarseth S.J.), **282**, 19
- Multicolour eclipse studies of UU Aquarii—II. The accretion disc (Baptista R., Steiner J.E., Horne K.), **282**, 99
- The effect of encounters on the eccentricity of binaries in clusters (Heggie D.C., Rasio F.A.), **282**, 1064
- Potential-density basis sets in axisymmetric coordinates (Robijn F.H.A., Earn D.J.D.), **282**, 1129

The Sun

- Solar neutrinos and dark matter: cosmions, CHAMPs or ... DAEMONS? (Drobyshevski E.M.), **282**, 211
- Low-frequency, low-degree solar p-mode measurements from recent BiSON data (Chaplin W.J., Elsworth Y., Isaak G.R., Lines R., McLeod C.P., Miller B.A., New R.), **282**, L15

Solar system

- Stellar perturbations of inner core comets and the impulse approximation (Eggers S., Woolfson M.M.), **282**, 13
- The dust tail of Comet 1P/Halley after its perihelion in 1986 and the rotation of the nucleus (Grothues H.-G., Schmidt-Kaler T.), **282**, 547
- Viscous damping in self-gravitating accretion discs (Drimmel R.), **282**, 982
- A statistical test for correlation between crater formation rate and mass extinctions (Matsumoto M., Kubotani H.), **282**, 1407

Stars

- Multicolour eclipse studies of UU Aquarii—II. The accretion disc (Baptista R., Steiner J.E., Horne K.), **282**, 99
- A search for rapid variability in T Tauri stars (Smith K.W., Jones D.H.P., Clarke C.J.), **282**, 167
- A consistent microlensing model for the Galactic bar (Zhao H., Rich R.M., Spergel D.N.), **282**, 175
- A coordinated campaign on the intermediate polar AE Aqr—I. The system parameters (Casares J., Mouchet M., Martinez-Pais I.G., Harlaftis E.T.), **282**, 182
- Have superhumps been seen in black hole soft X-ray transients? (O'Donoghue D., Charles P.A.), **282**, 191
- The magnetic fields of EF Eridani and BL Hydri (Ferrario L., Bailey J., Wickramasinghe D.), **282**, 218
- The p-mode spectrum of γ Equ (HR 8097) (Martinez P., Weiss W.W., Nelson M.J., Kreidl T.J., Roberts G.R., Mkrtichian D.E., Dorokhov N.I., Dorokhova T.N., Birch P.V.), **282**, 243
- Erratum: The M5 RR Lyrae population (Reid N.), **282**, 304
- Self-gravitating disc-like magnetic gas clouds (Barker D.M., Mestel L.), **282**, 317
- Multifrequency observations of the eclipsing symbiotic triple system CH Cyg during the 1992–94 active phase (Skopal A. et al.), **282**, 327
- The system parameters of the polars MR Ser and ST LMi (Shahbaz T., Wood J.H.), **282**, 362
- W Corvi, a contact binary with a large temperature difference (Odell A.P.), **282**, 373
- Two new young stellar objects with bipolar outflows in L379 (Kelly M.L., Macdonald G.H.), **282**, 401
- Simulations of the Raman-scattered O VI emission lines in symbiotic stars (Schmid H.M.), **282**, 511
- Optical and ultraviolet spectrophotometry of the ONeMg Nova V838 Herculis 1991 (Vanlandingham K.M., Starrfield S., Wagner R.M., Shore S.N., Sonneborn G.), **282**, 563
- Ergoregion instability revisited—a new and general method for numerical analysis of stability (Yoshida S., Eriguchi Y.), **282**, 580
- Radio observations in NH_3 and C_2S towards small molecular clouds and around pre-main-sequence stars (Scappini F., Codella C.), **282**, 587
- The tidally induced warping, precession and truncation of accretion discs in binary systems: three-dimensional simulations (Larwood J.D., Nelson R.P., Papaloizou J.C.B., Terquem C.), **282**, 597
- Photometric superoutburst observations of the short-period dwarf nova TV Corvi (Howell S.B., Reyes A.L., Ashley R., Harrop-Allin M.K., Warner B.), **282**, 623
- Existence of non-axisymmetric polytropes sustained by internal motions (Uryū K., Eriguchi Y.), **282**, 653
- Proper motions of water vapour masers and bipolar outflow from NML Cygni (Richards A.M.S., Yates J.A., Cohen R.J.), **282**, 665
- Observations of pulsar glitches (Shemar S.L., Lyne A.G.), **282**, 677
- A search for radio pulsars in globular clusters, supernova remnants and transient X-ray sources (Biggs J.D., Lyne A.G.), **282**, 691
- Infrared photometry of the intermediate polar XY Arietis (H0253 + 193) (Allan A., Hellier C., Ramseyer T.F.), **282**, 699
- A search for detached eclipsing binary systems in the oldest known open cluster NGC 6791 (Rucinski S.M., Kaluzny J., Hilditch R.W.), **282**, 705
- Optical polarization and X-ray data on the AM Her star RE J1844–74 (Ramsay G., Cropper M., Wu K., Potter S.), **282**, 726
- Dwarf nova outbursts in truncated accretion discs: down with low alphas (Warner B., Livio M., Tout C.A.), **282**, 735
- A comparative study of the optical pulsations in the intermediate polars (Welsh W.F., Martell P.J.), **282**, 739
- On the formation of metal cyanides and related compounds in the circumstellar envelope of IRC + 10216 (Petrie S.), **282**, 807
- Neutron star magnetic field dynamics and its evolution (Kebede L.W.), **282**, 845
- An explanation of the long-term behaviour of the pulsation amplitudes of the β Cephei star 16 (EN) Lacertae (Jerzykiewicz M., Pigulski A.), **282**, 853
- The linear polarization of non-magnetic cataclysmic variables (Naylor T., Koch-Miramond L., Ringwald F.A., Evans A.), **282**, 873
- The emission-line spectrum of the hot R Coronae Borealis star MV Sgr (Pandey G., Kameswara Rao N., Lambert D.L.), **282**, 889
- A comment on 'Chemical evolution in circumstellar structure of B5

- IRS1' by Kelly, Macdonald & Millar (Williams D.A., Hartquist T.W., Caselli P.), **282**, 900
- Limits on H α emission from young galaxies (Collins C.A., Parkes I.M., Joseph R.D.), **282**, 903
- Ages of globular clusters: a new approach (Jimenez R., Thejll P., Jørgensen U.G., MacDonald J., Pagel B.), **282**, 926
- An accretion model for the eclipsing cataclysmic variable PG 0859 + 415 (Still M.D.), **282**, 943
- Elemental abundances of the mercury-manganese stars HR 89 and 33 Geminorum (Adelman S.J., Philip A.G.D., Adelman C.J.), **282**, 953
- On the pulsation mode of Mira variables: evidence from the Large Magellanic Cloud (Wood P.R., Sebo K.M.), **282**, 958
- Infrared spectroscopy of V404 Cygni: limits on the accretion disc contamination (Shahbaz T., Bandyopadhyay R., Charles P.A., Naylor T.), **282**, 977
- Viscous damping in self-gravitating accretion discs (Drimmel R.), **282**, 982
- A self-colliding stellar wind model for SN 1979C (Schwarz D.H., Pringle J.E.), **282**, 1018
- Infrared spectroscopy of Nova Cassiopeiae 1993 – I. The pre-dust phase (Evans A., Geballe T.R., Rawlings J.M.C., Scott A.D.), **282**, 1049
- Ohmic decay of magnetic flux expelled from neutron star interiors (Bhattacharya D., Datta B.), **282**, 1059
- The effect of encounters on the eccentricity of binaries in clusters (Heggie D.C., Rasio F.A.), **282**, 1064
- Non-reflective boundary conditions and the viscous instability in accretion discs (Godon P.), **282**, 1107
- Precessing jets and molecular outflows: a 3D numerical study (Cliffe J.A., Frank A., Jones T.W.), **282**, 1114
- The chemical composition of the protoplanetary nebula candidate HD 179821 (Začs L., Klochkova V.G., Panchuk V.E., Spelmanis R.), **282**, 1171
- Elemental abundances of the B and A stars – III. Gamma Geminorum, HR 1397, HR 2154, HD 60825 and 7 Sextantis (Adelman S.J., Philip A.G.D.), **282**, 1181
- Infrared colours, distance determination and absolute magnitudes of a sample of faint cataclysmic variables (Sproats L.N., Howell S.B., Mason K.O.), **282**, 1211
- The carbon Cepheid V553 Cen: evidence of triple- α and CNO cycling (Wallerstein G., Gonzalez G.), **282**, 1236
- Optical constants of cosmic carbon analogue grains – I. Simulation of clustering by a modified continuous distribution of ellipsoids (Zubko V.G., Mennella V., Colangeli L., Bussoletti E.), **282**, 1321
- The ultraviolet polarization of the Crab pulsar (Graham-Smith F., Dolan J.F., Boyd P.T., Biggs J.D., Lyne A.G., Percival J.W.), **282**, 1354
- SiO masers in Mira variables at a single stellar phase (Humphreys E.M.L., Gray M.D., Yates J.A., Field D., Bowen G., Diamond P.J.), **282**, 1359
- Linear and circular imaging polarimetry of the Chamaeleon infrared nebula (Gledhill T.M., Chrysostomou A., Hough J.H.), **282**, 1418
- An atlas of optical continuum and line emission from low-mass X-ray binaries (Shahbaz T., Smale A.P., Naylor T., Charles P.A., van Paradijs J., Hassall B.J.M., Callanan P.), **282**, 1437
- The age of cataclysmic variables (Kolb U., Stehle R.), **282**, 1454
- Non-radial pulsations and stability of massive stars (Glatzel W., Mehren S.), **282**, 1470
- Chemistry in anisotropic asymptotic giant branch winds (Howe D.A., Millar T.J.), **282**, L21
- ROSAT observations of the binary millisecond pulsar PSR J0751 + 1807 (Becker W., Trümper J., Lundgren S.C., Cordes J.M., Zepka A.F.), **282**, L33
- Periodic UV modulation of X1850–087: a double degenerate binary in the globular cluster NGC 6712? (Homer L., Charles P.A., Naylor T., van Paradijs J., Aurière M., Koch-Miramond L.), **282**, L37
- An ellipsoidal modulation in X-ray Nova Vela 1993 (= GRS 1009–45) (Shahbaz T., van der Hooft F., Charles P.A., Casares J., van Paradijs J.), **282**, L47

Interstellar medium (ISM), nebulae

- Self-gravitating disc-like magnetic gas clouds (Barker D.M., Mestel L.), **282**, 317
- Two new young stellar objects with bipolar outflows in L379 (Kelly M.L., Macdonald G.H.), **282**, 401

- Production and loss of the water-related species H $_3$ O $^+$, H $_2$ O and OH in dense interstellar clouds (Williams T.L., Adams N.G., Babcock L.M., Herd C.R., Geoghegan M.), **282**, 413
- The complex kinematical properties of the HH objects aligned with the HL Tauri and HH 30 outflows (López R., Riera A., Raga A.C., Anglada G., López J.A., Noriega-Crespo A., Estalella R.), **282**, 470
- The dust tail of Comet 1P/Halley after its perihelion in 1986 and the rotation of the nucleus (Grothues H.-G., Schmidt-Kaler T.), **282**, 547
- Radio observations in NH $_3$ and C $_2$ S towards small molecular clouds and around pre-main-sequence stars (Scappini F., Codella C.), **282**, 587
- A search for radio pulsars in globular clusters, supernova remnants and transient X-ray sources (Biggs J.D., Lyne A.G.), **282**, 691
- Theoretical He I line intensities in gaseous nebulae: NGC 1976, 6572 and IC 4997 (Kingdon J.B., Ferland G.J.), **282**, 723
- On the formation of metal cyanides and related compounds in the circumstellar envelope of IRC + 10216 (Petrie S.), **282**, 807
- A comment on 'Chemical evolution in circumstellar structure of B5 IRS1' by Kelly, Macdonald & Millar (Williams D.A., Hartquist T.W., Caselli P.), **282**, 900
- Radiative transfer models of dusty galactic discs (Corradi R.L.M., Beckman J.E., Simonneau E.), **282**, 1005
- A search for 5 $_1$ –6 $_0$ A $^+$ -methanol masers towards faint IRAS sources (van der Walt D.J., Retief S.J.P., Gaylard M.J., MacLeod G.C.), **282**, 1085
- Precessing jets and molecular outflows: a 3D numerical study (Cliffe J.A., Frank A., Jones T.W.), **282**, 1114
- Angular sizes and luminosity evolution of faint galaxies (Roche N., Ratnatunga K., Griffiths R.E., Im M., Neuschaefer L.), **282**, 1247
- Highly supersonic motions within the outer features of the η Carinae nebula (Meaburn J., Boumis P., Walsh J.R., Steffen W., Holloway A.J., Williams R.J.R., Bryce M.), **282**, 1313
- Optical constants of cosmic carbon analogue grains – I. Simulation of clustering by a modified continuous distribution of ellipsoids (Zubko V.G., Mennella V., Colangeli L., Bussoletti E.), **282**, 1321
- Molecular emission ahead of Herbig–Haro bow shocks (Taylor S.D., Williams D.A.), **282**, 1343
- A possible isotope shift in the spectrum of a diffuse interstellar band (Webster A.), **282**, 1372
- Linear and circular imaging polarimetry of the Chamaeleon infrared nebula (Gledhill T.M., Chrysostomou A., Hough J.H.), **282**, 1418

The Galaxy

- A consistent microlensing model for the Galactic bar (Zhao H., Rich R.M., Spergel D.N.), **282**, 175
- Erratum: The M5 RR Lyrae population (Reid N.), **282**, 304
- UBV(RI) $_C$ observations of Johnson's standard sequence in IC 4665 (Menzies J.W., Marang F.), **282**, 313
- The age of the old Magellanic Cloud clusters – II. NGC 1786, 1841 and 2210 as evidence for an old coeval population of LMC and galactic globular clusters (Brocato E., Castellani V., Ferraro F.R., Piersimoni A.M., Testa V.), **282**, 614
- A search for radio pulsars in globular clusters, supernova remnants and transient X-ray sources (Biggs J.D., Lyne A.G.), **282**, 691
- A search for detached eclipsing binary systems in the oldest known open cluster NGC 6791 (Rucinski S.M., Kaluzny J., Hilditch R.W.), **282**, 705
- Ages of globular clusters: a new approach (Jimenez R., Thejll P., Jørgensen U.G., MacDonald J., Pagel B.), **282**, 926
- ROSAT HRI observations of the globular clusters M13 and M92 (Fox D., Lewin W., Margon B., van Paradijs J., Verbunt F.), **282**, 1027
- The effect of encounters on the eccentricity of binaries in clusters (Heggie D.C., Rasio F.A.), **282**, 1064
- Periodic UV modulation of X1850–087: a double degenerate binary in the globular cluster NGC 6712? (Homer L., Charles P.A., Naylor T., van Paradijs J., Aurière M., Koch-Miramond L.), **282**, L37

Galaxies

- The tilt of the fundamental plane of elliptical galaxies – I. Exploring dynamical and structural effects (Ciotti L., Lanzoni B., Renzini A.), **282**, 1

- Direct collisional simulation of 10 000 particles past core collapse (Spurzem R., Aarseth S.J.), **282**, 19
- Optical surface photometry of radio galaxies – I. Observations and data analysis (Fasano G., Falomo R., Scarpa R.), **282**, 40
- Cosmological implications of galaxy cluster evolution (Tsai J.C., Buote D.A.), **282**, 77
- ROSAT* PSPC spectra of X-ray-selected narrow-emission-line galaxies (Romero-Colmenero E., Branduardi-Raymont G., Carrera F.J., Jones L.R., Mason K.O., McHardy I.M., Mittaz J.P.D.), **282**, 94
- A paradigm revisited: the accretion disc in AGNs and quasars (Gondhalekar P.M., Rouillon-Foley C., Kellett B.J.), **282**, 117
- Jets and the emission-line spiral structure in IRAS 04210 + 0400 (Steffen W., Holloway A.J., Pedlar A.), **282**, 130
- The head–tail and wide-angle-tail radio galaxies in cluster A3627 (Jones P.A., McAdam W.B.), **282**, 137
- Reduction of the COSMOS Southern Sky galaxy survey data to the RC3 standard system (Rousseau J., Di Nella H., Paturel G., Petit C.), **282**, 144
- Comparative study of fine structure in samples of isolated and paired early-type galaxies (Reduzzi L., Longhetti M., Rampazzo R.), **282**, 149
- Made-to-measure *N*-body systems (Syer D., Tremaine S.), **282**, 223
- Maclaurin discs and bifurcations to rings (Kley W.), **282**, 234
- BVR* imaging polarimetric studies of the galaxy NGC 5128 (Scarrott S.M., Foley N.B., Gledhill T.M., Wolstencroft R.D.), **282**, 252
- Cluster evolution as a diagnostic for Ω (Eke V.R., Cole S., Frenk C.S.), **282**, 263
- The realignment of a black hole misaligned with its accretion disc (Scheuer P.A.G., Feiler R.), **282**, 291
- A deep *ROSAT* survey – XII. The X-ray spectra of faint *ROSAT* sources (Almaini O., Shanks T., Boyle B.J., Griffiths R.E., Roche N., Stewart G.C., Georgantopoulos I.), **282**, 295
- A dynamical study of the Draco dwarf spheroidal galaxy (Hargreaves J.C., Gilmore G., Irwin M.J., Carter D.), **282**, 305
- An analytic model for the spatial clustering of dark matter haloes (Mo H.J., White S.D.M.), **282**, 347
- The cluster distribution as a test of dark matter models – III. The cluster velocity field (Moscardini L., Branchini E., Tini Brunozi P., Borgani S., Plionis M., Coles P.), **282**, 384
- ROSAT* observations of 3C radio-loud sources (Prieto M.A.), **282**, 421
- Evolution of the angular momentum of protogalaxies from tidal torques: Zel'dovich approximation (Catelan P., Theuns T.), **282**, 436
- Non-linear evolution of the angular momentum of protostructures from tidal torques (Catelan P., Theuns T.), **282**, 455
- The X-ray spectral properties of X-ray-selected AGN: *ROSAT* spectra of EMSS AGN (Cileigi P., Maccacaro T.), **282**, 477
- Soft versus hard X-ray emission in active galactic nuclei: partial-covering and warm-plus-cold absorber models (Ceballos M.T., Barcons X.), **282**, 493
- Constraining Ω_0 using weak gravitational lensing by clusters (Wilson G., Cole S., Frenk C.S.), **282**, 501
- The age of the old Magellanic Cloud clusters – II. NGC 1786, 1841 and 2210 as evidence for an old coeval population of LMC and galactic globular clusters (Brocato E., Castellani V., Ferraro F.R., Piersimoni A.M., Testa V.), **282**, 614
- Merger trees and the multiplicity function of haloes (Rodriguez D.D.C., Thomas P.A.), **282**, 631
- The average X-ray/gamma-ray spectrum of radio-quiet Seyfert 1s (Gondek D., Zdziarski A.A., Johnson W.N., George I.M., McNaron-Brown K., Magdziarz P., Smith D., Gruber D.E.), **282**, 646
- Erratum: Infrared spectroscopy of high-redshift quasars (Baker A.C., Carswell R.F., Bailey J.A., Espey B.R., Smith M.G., Ward M.J.), **282**, 704
- The search for and investigation of large quasar groups (Komborg B.V., Kravtsov A.V., Lukash V.N.), **282**, 713
- The internight variability of the optical to near-infrared flux density and polarization of the blazars 0215 + 015 and 0851 + 202 during outbursts (Brindle C.), **282**, 788
- A dynamical model for the narrow-line region of active galactic nuclei (Simpson C., Ward M.), **282**, 797
- An intrinsically asymmetric radio galaxy: 0500 + 630? (Saikia D.J., Thomasson P., Jackson N., Salter C.J., Junor W.), **282**, 837
- Multifractal structure of Ly α clouds: an example with the spectrum of QSO 0055–26 (Carbone V., Savaglio S.), **282**, 868
- Limits on H α emission from young galaxies (Collins C.A., Parkes I.M., Joseph R.D.), **282**, 903
- Scale-free dynamical models for galaxies: flattened densities in spherical potentials (de Bruijne J.H.J., van der Marel R.P., de Zeeuw P.T.), **282**, 909
- Polarization from magnetized accretion discs in active galactic nuclei (Agol E., Blaes O.), **282**, 965
- Radiative transfer models of dusty galactic discs (Corradi R.L.M., Beckman J.E., Simonneau E.), **282**, 1005
- WN 1626 + 5153: a giant radio galaxy from the WENSS survey (Röttgering H.J.A., Tang Y., Bremer M.A.R., de Bruyn A.G., Miley G.K., Rengelink R.B., Bremer M.N.), **282**, 1033
- The variable iron K emission line in MCG–6–30–15 (Iwasawa K., Fabian A.C., Reynolds C.S., Nandra K., Otani C., Inoue H., Hayashida K., Brandt W.N., Dotani T., Kunieda H., Matsuoka M., Tanaka Y.), **282**, 1038
- The correlation function of clusters of galaxies and the amplitude of mass fluctuations in the Universe (Mo H.J., Jing Y.P., White S.D.M.), **282**, 1096
- Potential-density basis sets in axisymmetric coordinates (Robijn F.H.A., Earn D.J.D.), **282**, 1129
- Equilibria of flat and round galactic discs (Pichon C., Lynden-Bell D.), **282**, 1143
- Properties of the Lyman α clouds from non-equilibrium photoionization models (Ferrara A., Giallongo E.), **282**, 1165
- The QSO variability–luminosity–redshift relation (Cid Fernandes R., Jr, Aretxaga I., Terlevich R.), **282**, 1191
- IRAS 04210 + 0400: modelling the optical spectra from flaring large-scale jets (Steffen W., Holloway A.J., Pedlar A.), **282**, 1203
- New parametrizations of non-Gaussian line-of-sight velocity distributions (Zhao H., Prada F.), **282**, 1223
- Angular sizes and luminosity evolution of faint galaxies (Roche N., Ratnatunga K., Griffiths R.E., Im M., Neuschaefer L.), **282**, 1247
- A survey for high-redshift radio-loud quasars: optical spectroscopy of $S > 0.2$ Jy, flat-spectrum radio sources (Hook I.M., McMahon R.G., Irwin M.J., Hazard C.), **282**, 1274
- On possible signatures of heavy neutrino balls in active galactic nuclei (Tsiklauri D., Viollier R.D.), **282**, 1299
- The radio, optical and X-ray properties of the radio source 0927 + 352 (Machalski J., Brandt W.N.), **282**, 1305
- APM $z \geq 4$ survey: distribution and evolution of high column density H I absorbers (Storrie-Lombardi L.J., Irwin M.J., McMahon R.G.), **282**, 1330
- The origin of galactic discs with exponential z -profiles (Burkert A., Yoshii Y.), **282**, 1349
- Power spectrum analysis of the Stromlo–APM redshift survey (Tadros H., Efsthathiou G.), **282**, 1381
- Large-scale fluctuations in the distribution of galaxies (Baugh C.M.), **282**, 1413
- ROSAT* observations of distant 3CR radio galaxies – II (Crawford C.S., Fabian A.C.), **282**, 1483
- A wide-field K -band survey – I. Galaxy counts in B , V , I and K (Gardner J.P., Sharples R.M., Carrasco B.E., Frenk C.S.), **282**, L1
- The nature of the faint galaxies in the *Hubble Deep Field* (Mobasher B., Rowan-Robinson M., Georgakakis A., Eaton N.), **282**, L7
- Faint galaxy counts as a function of morphological type in a hierarchical merger model (Baugh C.M., Cole S., Frenk C.S.), **282**, L27
- Iron K α line intensity from accretion discs around rotating black holes (Martocchia A., Matt G.), **282**, L53

Cosmology

- The tilt of the fundamental plane of elliptical galaxies – I. Exploring dynamical and structural effects (Ciotti L., Lanzoni B., Renzini A.), **282**, 1
- Biases, selection effects and image multiplicities in the Jodrell Bank–VLA gravitational lens survey (King L.J., Browne I.W.A.), **282**, 67
- Cosmological implications of galaxy cluster evolution (Tsai J.C., Buote D.A.), **282**, 77
- Shadowing of the 0.25-keV extragalactic X-ray background by the disc of NGC 55 (Barber C.R., Roberts T.P., Warwick R.S.), **282**, 157
- A consistent microlensing model for the Galactic bar (Zhao H., Rich R.M., Spergel D.N.), **282**, 175
- Newtonian cosmology revisited (Tipler F.J.), **282**, 206
- Solar neutrinos and dark matter: cosmions, CHAMPs or ... DAEMONS? (Drobyshevski E.M.), **282**, 211

- Cluster evolution as a diagnostic for Ω (Eke V.R., Cole S., Frenk C.S.), **282**, 263
- Cold dark matter models with a cosmological constant (Liddle A.R., Lyth D.H., Viana P.T.P., White M.), **282**, 281
- A deep *ROSAT* survey – XII. The X-ray spectra of faint *ROSAT* sources (Almaini O., Shanks T., Boyle B.J., Griffiths R.E., Roche N., Stewart G.C., Georgantopoulos I.), **282**, 295
- A dynamical study of the Draco dwarf spheroidal galaxy (Hargreaves J.C., Gilmore G., Irwin M.J., Carter D.), **282**, 305
- An analytic model for the spatial clustering of dark matter haloes (Mo H.J., White S.D.M.), **282**, 347
- The cluster distribution as a test of dark matter models – III. The cluster velocity field (Moscardini L., Branchini E., Tini Brunozzi P., Borgani S., Plionis M., Coles P.), **282**, 384
- Evolution of the angular momentum of protogalaxies from tidal torques: Zel'dovich approximation (Catelan P., Theuns T.), **282**, 436
- Non-linear evolution of the angular momentum of protostructures from tidal torques (Catelan P., Theuns T.), **282**, 455
- Constraining Ω_0 using weak gravitational lensing by clusters (Wilson G., Cole S., Frenk C.S.), **282**, 501
- The light-curve reconstruction method for measuring the time delay of gravitational lens systems (Geiger B., Schneider P.), **282**, 530
- Accuracy of Lagrangian approximations in voids (Sahni V., Shandarin S.), **282**, 641
- The search for and investigation of large quasar groups (Komborg B.V., Kravtsov A.V., Lukash V.N.), **282**, 713
- Exact solutions connecting radiation and matter eras using imperfect fluids (Méndez V., Pavón D.), **282**, 753
- Non-linear cosmological power spectra in real and redshift space (Taylor A.N., Hamilton A.J.S.), **282**, 767
- Multifractal structure of Ly α clouds: an example with the spectrum of QSO 0055–26 (Carbone V., Savaglio S.), **282**, 868
- Measuring the cosmological constant with redshift surveys (Ballinger W.E., Peacock J.A., Heavens A.F.), **282**, 877
- Limits on H α emission from young galaxies (Collins C.A., Parkes I.M., Joseph R.D.), **282**, 903
- Ages of globular clusters: a new approach (Jimenez R., Thejll P., Jørgensen U.G., MacDonald J., Pagel B.), **282**, 926
- The correlation function of clusters of galaxies and the amplitude of mass fluctuations in the Universe (Mo H.J., Jing Y.P., White S.D.M.), **282**, 1096
- Weak gravitational lensing around field galaxies in *Hubble Space Telescope* survey images (Griffiths R.E., Casertano S., Im M., Ratnatunga K.U.), **282**, 1159
- On possible signatures of heavy neutrino balls in active galactic nuclei (Tsiklauri D., Viollier R.D.), **282**, 1299
- APM $z \geq 4$ survey: distribution and evolution of high column density H I absorbers (Storrie-Lombardi L.J., Irwin M.J., McMahon R.G.), **282**, 1330
- Power spectrum analysis of the Stromlo–APM redshift survey (Tadros H., Efsthathiou G.), **282**, 1381
- Time-varying G (Barrow J.D.), **282**, 1397
- Large-scale fluctuations in the distribution of galaxies (Baugh C.M.), **282**, 1413
- The superiority of the minimal spanning tree in percolation analyses of cosmological data sets (Bhavsar S.P., Splinter R.J.), **282**, 1461
- The cosmic expansion and local dynamics (Bonnor W.B.), **282**, 1467
- A wide-field K -band survey – I. Galaxy counts in B , V , I and K (Gardner J.P., Sharples R.M., Carrasco B.E., Frenk C.S.), **282**, L1
- The nature of the faint galaxies in the *Hubble Deep Field* (Mobasher B., Rowan-Robinson M., Georgakakis A., Eaton N.), **282**, L7
- Sources as a function of wavelength**
- ROSAT* PSPC spectra of X-ray-selected narrow-emission-line galaxies (Romero-Colmenero E., Branduardi-Raymont G., Carrera F.J., Jones L.R., Mason K.O., McHardy I.M., Mittaz J.P.D.), **282**, 94
- A paradigm revisited: the accretion disc in AGNs and quasars (Gondhalekar P.M., Rouillon-Foley C., Kellett B.J.), **282**, 117
- The head–tail and wide-angle-tail radio galaxies in cluster A3627 (Jones P.A., McAdam W.B.), **282**, 137
- Shadowing of the 0.25-keV extragalactic X-ray background by the disc of NGC 55 (Barber C.R., Roberts T.P., Warwick R.S.), **282**, 157
- Have superhumps been seen in black hole soft X-ray transients? (O'Donoghue D., Charles P.A.), **282**, 191
- A deep *ROSAT* survey – XII. The X-ray spectra of faint *ROSAT* sources (Almaini O., Shanks T., Boyle B.J., Griffiths R.E., Roche N., Stewart G.C., Georgantopoulos I.), **282**, 295
- Multifrequency observations of the eclipsing symbiotic triple system CH Cyg during the 1992–94 active phase (Skopal A. et al.), **282**, 327
- Two new young stellar objects with bipolar outflows in L379 (Kelly M.L., Macdonald G.H.), **282**, 401
- ROSAT* observations of 3C radio-loud sources (Prieto M.A.), **282**, 421
- The X-ray spectral properties of X-ray-selected AGN: *ROSAT* spectra of EMSS AGN (Cileigi P., Maccacaro T.), **282**, 477
- Soft versus hard X-ray emission in active galactic nuclei: partial-covering and warm-plus-cold absorber models (Ceballos M.T., Barcons X.), **282**, 493
- Optical and ultraviolet spectrophotometry of the ONeMg Nova V838 Herculis 1991 (Vanlandingham K.M., Starrfield S., Wagner R.M., Shore S.N., Sonneborn G.), **282**, 563
- Radio observations in NH $_3$ and C $_2$ S towards small molecular clouds and around pre-main-sequence stars (Scappini F., Codella C.), **282**, 587
- The average X-ray/gamma-ray spectrum of radio-quiet Seyfert 1s (Gondek D., Zdziarski A.A., Johnson W.N., George I.M., McNaron-Brown K., Magdziarz P., Smith D., Gruber D.E.), **282**, 646
- Proper motions of water vapour masers and bipolar outflow from NML Cygni (Richards A.M.S., Yates J.A., Cohen R.J.), **282**, 665
- A search for radio pulsars in globular clusters, supernova remnants and transient X-ray sources (Biggs J.D., Lyne A.G.), **282**, 691
- Infrared photometry of the intermediate polar XY Arietis (H0253 + 193) (Allan A., Hellier C., Ramseyer T.F.), **282**, 699
- Erratum: Infrared spectroscopy of high-redshift quasars (Baker A.C., Carswell R.F., Bailey J.A., Espey B.R., Smith M.G., Ward M.J.), **282**, 704
- Optical polarization and X-ray data on the AM Her star RE J1844–74 (Ramsay G., Cropper M., Wu K., Potter S.), **282**, 726
- The 7C survey of radio sources at 151 MHz – a region covering RA 9 h to 16 h and Dec. 20° to 35° (Waldram E.M., Yates J.A., Riley J.M., Warner P.J.), **282**, 779
- The internight variability of the optical to near-infrared flux density and polarization of the blazars 0215 + 015 and 0851 + 202 during outbursts (Brindle C.), **282**, 788
- A deep *ROSAT* survey – XI. Enhanced X-ray emission from faint galaxies (Roche N., Griffiths R.E., Della Ceca R., Shanks T., Boyle B.J., Georgantopoulos I., Stewart G.C.), **282**, 820
- An intrinsically asymmetric radio galaxy: 0500 + 630? (Saikia D.J., Thomasson P., Jackson N., Salter C.J., Junor W.), **282**, 837
- Limits on H α emission from young galaxies (Collins C.A., Parkes I.M., Joseph R.D.), **282**, 903
- Infrared spectroscopy of V404 Cygni: limits on the accretion disc contamination (Shahbaz T., Bandopadhyay R., Charles P.A., Naylor T.), **282**, 977
- A self-colliding stellar wind model for SN 1979C (Schwarz D.H., Pringle J.E.), **282**, 1018
- ROSAT* HRI observations of the globular clusters M13 and M92 (Fox D., Lewin W., Margon B., van Paradijs J., Verbunt F.), **282**, 1027
- WN 1626 + 5153: a giant radio galaxy from the WENSS survey (Röttgering H.J.A., Tang Y., Bremer M.A.R., de Bruyn A.G., Miley G.K., Rengelink R.B., Bremer M.N.), **282**, 1033
- The variable iron K emission line in MCG–6–30–15 (Iwasawa K., Fabian A.C., Reynolds C.S., Nandra K., Otani C., Inoue H., Hayashida K., Brandt W.N., Dotani T., Kunieda H., Matsuoka M., Tanaka Y.), **282**, 1038
- Infrared spectroscopy of Nova Cassiopeiae 1993 – I. The pre-dust phase (Evans A., Geballe T.R., Rawlings J.M.C., Scott A.D.), **282**, 1049
- A search for 5 $_1$ –6 $_0$ A $^+$ -methanol masers towards faint *IRAS* sources (van der Walt D.J., Retief S.J.P., Gaylard M.J., MacLeod G.C.), **282**, 1085
- Properties of the Lyman α clouds from non-equilibrium photoionization models (Ferrara A., Giallongo E.), **282**, 1165
- Infrared colours, distance determination and absolute magnitudes of a sample of faint cataclysmic variables (Sproats L.N., Howell S.B., Mason K.O.), **282**, 1211
- A survey for high-redshift radio-loud quasars: optical spectroscopy of $S > 0.2$ Jy, flat-spectrum radio sources (Hook I.M., McMahon R.G., Irwin M.J., Hazard C.), **282**, 1274
- The radio, optical and X-ray properties of the radio source 0927 + 352 (Machalski J., Brandt W.N.), **282**, 1305

- The ultraviolet polarization of the Crab pulsar (Graham-Smith F., Dolan J.F., Boyd P.T., Biggs J.D., Lyne A.G., Percival J.W.), **282**, 1354
- An atlas of optical continuum and line emission from low-mass X-ray binaries (Shahbaz T., Smale A.P., Naylor T., Charles P.A., van Paradijs J., Hassall B.J.M., Callanan P.), **282**, 1437
- ROSAT* observations of distant 3CR radio galaxies – II (Crawford C.S., Fabian A.C.), **282**, 1483
- A wide-field *K*-band survey – I. Galaxy counts in *B*, *V*, *I* and *K* (Gardner J.P., Sharples R.M., Carrasco B.E., Frenk C.S.), **282**, L1
- ROSAT* observations of the binary millisecond pulsar PSR J0751 + 1807 (Becker W., Trümper J., Lundgren S.C., Cordes J.M., Zepka A.F.), **282**, L33
- Periodic UV modulation of X1850–087: a double degenerate binary in the globular cluster NGC 6712? (Homer L., Charles P.A., Naylor T., van Paradijs J., Aurière M., Koch-Miramond L.), **282**, L37
- An ellipsoidal modulation in X-ray Nova Vela 1993 (= GRS 1009–45) (Shahbaz T., van der Hooft F., Charles P.A., Casares J., van Paradijs J.), **282**, L47
- Iron *K α* line intensity from accretion discs around rotating black holes (Martocchia A., Matt G.), **282**, L53

AUTHOR INDEX

- Aarseth S.J. *see* Spurzem R.
 Adams N.G. *see* Williams T.L.
 Adelman C.J. *see* Adelman S.J.
 Adelman S.J., Philip A.G.D., Adelman C.J., Elemental abundances of the mercury–manganese stars HR 89 and 33 Geminorum, **282**, 953
 Adelman S.J., Philip A.G.D., Elemental abundances of the B and A stars – III. Gamma Geminorum, HR 1397, HR 2154, HD 60825 and 7 Sextantis, **282**, 1181
 Agol E., Blaes O., Polarization from magnetized accretion discs in active galactic nuclei, **282**, 965
 Allan A., Hellier C., Ramseyer T.F., Infrared photometry of the intermediate polar XY Arietis (H0253 + 193), **282**, 699
 Almaini O., Shanks T., Boyle B.J., Griffiths R.E., Roche N., Stewart G.C., Georgantopoulos I., A deep *ROSAT* survey – XII. The X-ray spectra of faint *ROSAT* sources, **282**, 295
 Anglada G. *see* López R.
 Aretxaga I. *see* Cid Fernandes R., Jr
 Ashley R. *see* Howell S.B.
 Aurière M. *see* Homer L.
 Babcock L.M. *see* Williams T.L.
 Bailey J. *see* Ferrario L.
 Bailey J.A. *see* Baker A.C.
 Baker A.C., Carswell R.F., Bailey J.A., Espey B.R., Smith M.G., Ward M.J., Erratum: Infrared spectroscopy of high-redshift quasars, **282**, 704
 Ballinger W.E., Peacock J.A., Heavens A.F., Measuring the cosmological constant with redshift surveys, **282**, 877
 Bandyopadhyay R. *see* Shahbaz T.
 Baptista R., Steiner J.E., Horne K., Multicolour eclipse studies of UU Aquarii – II. The accretion disc, **282**, 99
 Barber C.R., Roberts T.P., Warwick R.S., Shadowing of the 0.25-keV extragalactic X-ray background by the disc of NGC 55, **282**, 157
 Barcons X. *see* Ceballos M.T.
 Barker D.M., Mestel L., Self-gravitating disc-like magnetic gas clouds, **282**, 317
 Barrow J.D., Time-varying *G*, **282**, 1397
 Baugh C.M., Cole S., Frenk C.S., Faint galaxy counts as a function of morphological type in a hierarchical merger model, **282**, L27
 Baugh C.M., Large-scale fluctuations in the distribution of galaxies, **282**, 1413
 Becker W., Trümper J., Lundgren S.C., Cordes J.M., Zepka A.F., *ROSAT* observations of the binary millisecond pulsar PSR J0751 + 1807, **282**, L33
 Beckman J.E. *see* Corradi R.L.M.
 Bhattacharya D., Datta B., Ohmic decay of magnetic flux expelled from neutron star interiors, **282**, 1059
 Bhavsar S.P., Splinter R.J., The superiority of the minimal spanning tree in percolation analyses of cosmological data sets, **282**, 1461
 Biggs J.D. *see* Graham-Smith F.
 Biggs J.D., Lyne A.G., A search for radio pulsars in globular clusters, supernova remnants and transient X-ray sources, **282**, 691
 Birch P.V. *see* Martínez P.
 Blaes O. *see* Agol E.
 Bode M.F. *see* Skopal A.
 Bonnor W.B., The cosmic expansion and local dynamics, **282**, 1467
 Borgani S. *see* Moscardini L.
 Boumis P. *see* Meaburn J.
 Bowen G. *see* Humphreys E.M.L.
 Boyd P.T. *see* Graham-Smith F.
 Boyle B.J. *see* Almaini O.
 Boyle B.J. *see* Roche N.
 Branchini E. *see* Moscardini L.
 Brandt W.N. *see* Iwasawa K.
 Brandt W.N. *see* Machalski J.
 Branduardi-Raymont G. *see* Romero-Colmenero E.
 Bremer M.A.R. *see* Röttgering H.J.A.
 Bremer M.N. *see* Röttgering H.J.A.
 Brindle C., The internight variability of the optical to near-infrared flux density and polarization of the blazars 0215 + 015 and 0851 + 202 during outbursts, **282**, 788
 Brocato E., Castellani V., Ferraro F.R., Piersimoni A.M., Testa V., The age of the old Magellanic Cloud clusters – II. NGC 1786, 1841 and 2210 as evidence for an old coeval population of LMC and galactic globular clusters, **282**, 614
 Browne I.W.A. *see* King L.J.
 Bryce M. *see* Meaburn J.
 Bryce M. *see* Skopal A.
 Buote D.A. *see* Tsai J.C.
 Burkert A., Yoshii Y., The origin of galactic discs with exponential *z*-profiles, **282**, 1349
 Bussoletti E. *see* Zubko V.G.
 Callanan P. *see* Shahbaz T.
 Carbone V., Savaglio S., Multifractal structure of Ly α clouds: an example with the spectrum of QSO 0055–26, **282**, 868
 Carrasco B.E. *see* Gardner J.P.
 Carrera F.J. *see* Romero-Colmenero E.
 Carswell R.F. *see* Baker A.C.
 Carter D. *see* Hargreaves J.C.
 Casares J. *see* Shahbaz T.
 Casares J., Mouchet M., Martínez-Pais I.G., Harlaftis E.T., A coordinated campaign on the intermediate polar AE Aqr – I. The system parameters, **282**, 182
 Caselli P. *see* Williams D.A.
 Casertano S. *see* Griffiths R.E.
 Castellani V. *see* Brocato E.
 Catelan P., Theuns T., Evolution of the angular momentum of protogalaxies from tidal torques: Zel'dovich approximation, **282**, 436
 Catelan P., Theuns T., Non-linear evolution of the angular momentum of protostructures from tidal torques, **282**, 455
 Ceballos M.T., Barcons X., Soft versus hard X-ray emission in active galactic nuclei: partial-covering and warm-plus-cold absorber models, **282**, 493
 Chaplin W.J., Elsworth Y., Isaak G.R., Lines R., McLeod C.P., Miller B.A., New R., Low-frequency, low-degree solar p-mode measurements from recent BiSON data, **282**, L15
 Charles P.A. *see* Homer L.
 Charles P.A. *see* O'Donoghue D.
 Charles P.A. *see* Shahbaz T.
 Chochol D. *see* Skopal A.
 Chrysostomou A. *see* Gledhill T.M.
 Cid Fernandes R., Jr, Aretxaga I., Terlevich R., The QSO variability–luminosity–redshift relation, **282**, 1191
 Cilicgi P., Maccacaro T., The X-ray spectral properties of X-ray-selected AGN: *ROSAT* spectra of EMSS AGN, **282**, 477
 Ciotti L., Lanzoni B., Renzini A., The tilt of the fundamental plane of elliptical galaxies – I. Exploring dynamical and structural effects, **282**, 1
 Clarke C.J. *see* Smith K.W.
 Cliffe J.A., Frank A., Jones T.W., Precessing jets and molecular outflows: a 3D numerical study, **282**, 1114
 Codella C. *see* Scappini F.
 Cohen R.J. *see* Richards A.M.S.
 Colangeli L. *see* Zubko V.G.
 Cole S. *see* Baugh C.M.
 Cole S. *see* Eke V.R.
 Cole S. *see* Wilson G.
 Coles P. *see* Moscardini L.
 Collins C.A., Parkes I.M., Joseph R.D., Limits on H α emission from young galaxies, **282**, 903
 Cordes J.M. *see* Becker W.
 Corradi R.L.M., Beckman J.E., Simonneau E., Radiative transfer models of dusty galactic discs, **282**, 1005
 Crawford C.S., Fabian A.C., *ROSAT* observations of distant 3CR radio galaxies – II, **282**, 1483
 Cropper M. *see* Ramsay G.
 Datta B. *see* Bhattacharya D.
 Davis R.J. *see* Skopal A.
 de Bruijne J.H.J., van der Marel R.P., de Zeeuw P.T., Scale-free dynamical models for galaxies: flattened densities in spherical potentials, **282**, 909
 de Bruyn A.G. *see* Röttgering H.J.A.
 de Zeeuw P.T. *see* de Bruijne J.H.J.

- Della Ceca R. *see* Roche N.
 Di Nella H. *see* Rousseau J.
 Diamond P.J. *see* Humphreys E.M.L.
 Dolan J.F. *see* Graham-Smith F.
 Dorokhov N.I. *see* Martinez P.
 Dorokhova T.N. *see* Martinez P.
 Dotani T. *see* Iwasawa K.
 Drimmel R., Viscous damping in self-gravitating accretion discs, **282**, 982
 Drobyshvski E.M., Solar neutrinos and dark matter: cosmions, CHAMPS or...DAEMONS?, **282**, 211
- Earn D.J.D. *see* Robijn F.H.A.
 Eaton N. *see* Mobasher B.
 Efsthioiu G. *see* Tadros H.
 Eggers S., Woolfson M.M., Stellar perturbations of inner core comets and the impulse approximation, **282**, 13
 Eke V.R., Cole S., Frenk C.S., Cluster evolution as a diagnostic for Ω , **282**, 263
 Elsworth Y. *see* Chaplin W.J.
 Eriguchi Y. *see* Uryu K.
 Eriguchi Y. *see* Yoshida S.
 Errico L. *see* Skopal A.
 Espey B.R. *see* Baker A.C.
 Estalella R. *see* López R.
 Evans A. *see* Naylor T.
 Evans A. *see* Skopal A.
 Evans A., Geballe T.R., Rawlings J.M.C., Scott A.D., Infrared spectroscopy of Nova Cassiopeiae 1993—I. The pre-dust phase, **282**, 1049
 Eyres S.P.S. *see* Skopal A.
- Fabian A.C. *see* Crawford C.S.
 Fabian A.C. *see* Iwasawa K.
 Falomo R. *see* Fasano G.
 Fasano G., Falomo R., Scarpa R., Optical surface photometry of radio galaxies—I. Observations and data analysis, **282**, 40
 Feiler R. *see* Scheuer P.A.G.
 Ferland G.J. *see* Kingdon J.B.
 Ferrara A., Giallongo E., Properties of the Lyman α clouds from non-equilibrium photoionization models, **282**, 1165
 Ferrario L., Bailey J., Wickramasinghe D., The magnetic fields of EF Eridani and BL Hydri, **282**, 218
 Ferraro F.R. *see* Brocato E.
 Field D. *see* Humphreys E.M.L.
 Foley N.B. *see* Scarrott S.M.
 Fox D., Lewin W., Margon B., van Paradijs J., Verbunt F., *ROSAT* HRI observations of the globular clusters M13 and M92, **282**, 1027
 Frank A. *see* Cliffe J.A.
 Frenk C.S. *see* Baugh C.M.
 Frenk C.S. *see* Eke V.R.
 Frenk C.S. *see* Gardner J.P.
 Frenk C.S. *see* Wilson G.
- Gardner J.P., Sharples R.M., Carrasco B.E., Frenk C.S., A wide-field K-band survey—I. Galaxy counts in *B*, *V*, *I* and *K*, **282**, L1
 Gaylard M.J. *see* van der Walt D.J.
 Geballe T.R. *see* Evans A.
 Geiger B., Schneider P., The light-curve reconstruction method for measuring the time delay of gravitational lens systems, **282**, 530
 Geoghegan M. *see* Williams T.L.
 Georgakakis A. *see* Mobasher B.
 Georgantopoulos I. *see* Almaini O.
 Georgantopoulos I. *see* Roche N.
 George I.M. *see* Gondek D.
 Giallongo E. *see* Ferrara A.
 Gilmore G. *see* Hargreaves J.C.
 Glatzel W., Mehren S., Non-radial pulsations and stability of massive stars, **282**, 1470
 Gledhill T.M. *see* Scarrott S.M.
 Gledhill T.M., Chrysostomou A., Hough J.H., Linear and circular imaging polarimetry of the Chamaeleon infrared nebula, **282**, 1418
 Godon P., Non-reflective boundary conditions and the viscous instability in accretion discs, **282**, 1107
 Gondek D., Zdziarski A.A., Johnson W.N., George I.M., McNaron-Brown K., Magdziarz P., Smith D., Gruber D.E., The average X-ray/gamma-ray spectrum of radio-quiet Seyfert 1s, **282**, 646
 Gondhalekar P.M., Rouillon-Foley C., Kellett B.J., A paradigm revisited: the accretion disc in AGNs and quasars, **282**, 117
 Gonzalez G. *see* Wallerstein G.
 Graham-Smith F., Dolan J.F., Boyd P.T., Biggs J.D., Lyne A.G., Percival J.W., The ultraviolet polarization of the Crab pulsar, **282**, 1354
 Gray M.D. *see* Humphreys E.M.L.
 Griffiths R.E. *see* Almaini O.
 Griffiths R.E. *see* Roche N.
 Griffiths R.E., Casertano S., Im M., Ratnatunga K.U., Weak gravitational lensing around field galaxies in *Hubble Space Telescope* survey images, **282**, 1159
 Grothues H.-G., Schmidt-Kaler T., The dust tail of Comet 1P/Halley after its perihelion in 1986 and the rotation of the nucleus, **282**, 547
 Gruber D.E. *see* Gondek D.
- Hamilton A.J.S. *see* Taylor A.N.
 Hargreaves J.C., Gilmore G., Irwin M.J., Carter D., A dynamical study of the Draco dwarf spheroidal galaxy, **282**, 305
 Harlaftis E.T. *see* Casares J.
 Harrop-Allin M.K. *see* Howell S.B.
 Hartquist T.W. *see* Williams D.A.
 Hassall B.J.M. *see* Shahbaz T.
 Hayashida K. *see* Iwasawa K.
 Hazard C. *see* Hook I.M.
 Heavens A.F. *see* Ballinger W.E.
 Heggie D.C., Rasio F.A., The effect of encounters on the eccentricity of binaries in clusters, **282**, 1064
 Hellier C. *see* Allan A.
 Herd C.R. *see* Williams T.L.
 Hilditch R.W. *see* Rucinski S.M.
 Holloway A.J. *see* Meaburn J.
 Holloway A.J. *see* Steffen W.
 Homer L., Charles P.A., Naylor T., van Paradijs J., Aurière M., Koch-Miramond L., Periodic UV modulation of X1850-087: a double degenerate binary in the globular cluster NGC 6712?, **282**, L37
 Hook I.M., McMahon R.G., Irwin M.J., Hazard C., A survey for high-redshift radio-loud quasars: optical spectroscopy of $S > 0.2$ Jy, flat-spectrum radio sources, **282**, 1274
 Horne K. *see* Baptista R.
 Hough J.H. *see* Gledhill T.M.
 Howe D.A., Millar T.J., Chemistry in anisotropic asymptotic giant branch winds, **282**, L21
 Howell S.B. *see* Sproats L.N.
 Howell S.B., Reyes A.L., Ashley R., Harrop-Allin M.K., Warner B., Photometric superoutburst observations of the short-period dwarf nova TV Corvi, **282**, 623
 Hric L. *see* Skopal A.
 Humphreys E.M.L., Gray M.D., Yates J.A., Field D., Bowen G., Diamond P.J., SiO masers in Mira variables at a single stellar phase, **282**, 1359
- Im M. *see* Griffiths R.E.
 Im M. *see* Roche N.
 Inoue H. *see* Iwasawa K.
 Irwin M.J. *see* Hargreaves J.C.
 Irwin M.J. *see* Hook I.M.
 Irwin M.J. *see* Storrie-Lombardi L.J.
 Isaak G.R. *see* Chaplin W.J.
 Ivison R.J. *see* Skopal A.
 Iwasawa K., Fabian A.C., Reynolds C.S., Nandra K., Otani C., Inoue H., Hayashida K., Brandt W.N., Dotani T., Kunieda H., Matsuoka M., Tanaka Y., The variable iron K emission line in MCG-6-30-15, **282**, 1038
- Jackson N. *see* Saikia D.J.
 Jerzykiewicz M., Pigulski A., An explanation of the long-term behaviour of the pulsation amplitudes of the β Cephei star 16 (EN) Lacertae, **282**, 853
 Jimenez R., Thejll P., Jørgensen U.G., MacDonald J., Pagel B., Ages of globular clusters: a new approach, **282**, 926
 Jing Y.P. *see* Mo H.J.
 Johnson W.N. *see* Gondek D.
 Jones D.H.P. *see* Smith K.W.

- Jones L.R. *see* Romero-Colmenero E.
 Jones P.A., McAdam W.B., The head-tail and wide-angle-tail radio galaxies in cluster A3627, **282**, 137
 Jones T.W. *see* Cliffe J.A.
 Jørgensen U.G. *see* Jimenez R.
 Joseph R.D. *see* Collins C.A.
 Junor W. *see* Saikia D.J.
- Kaluzny J. *see* Rucinski S.M.
 Kameswara Rao N. *see* Pandey G.
 Kebede L.W., Neutron star magnetic field dynamics and its evolution, **282**, 845
 Kellett B.J. *see* Gondhalekar P.M.
 Kelly M.L., Macdonald G.H., Two new young stellar objects with bipolar outflows in L379, **282**, 401
 Kenny H.T. *see* Skopal A.
 King L.J., Browne I.W.A., Biases, selection effects and image multiplicities in the Jodrell Bank-VLA gravitational lens survey, **282**, 67
 Kingdon J.B., Ferland G.J., Theoretical He I line intensities in gaseous nebulae: NGC 1976, 6572 and IC 4997, **282**, 723
 Kley W., Maclaurin discs and bifurcations to rings, **282**, 234
 Klochova V.G. *see* Zats L.
 Koch-Miramond L. *see* Homer L.
 Koch-Miramond L. *see* Naylor T.
 Kolb U., Stehle R., The age of cataclysmic variables, **282**, 1454
 Komberg B.V., Kravtsov A.V., Lukash V.N., The search for and investigation of large quasar groups, **282**, 713
 Komzik R. *see* Skopal A.
 Kravtsov A.V. *see* Komberg B.V.
 Kreidl T.J. *see* Martinez P.
 Kubotani H. *see* Matsumoto M.
 Kunieda H. *see* Iwasawa K.
- Lambert D.L. *see* Pandey G.
 Lanzoni B. *see* Ciotti L.
 Larwood J.D., Nelson R.P., Papaloizou J.C.B., Terquem C., The tidally induced warping, precession and truncation of accretion discs in binary systems: three-dimensional simulations, **282**, 597
 Lewin W. *see* Fox D.
 Liddle A.R., Lyth D.H., Viana P.T.P., White M., Cold dark matter models with a cosmological constant, **282**, 281
 Lines R. *see* Chaplin W.J.
 Livio M. *see* Warner B.
 Longhetti M. *see* Reduzzi L.
 López J.A. *see* López R.
 López R., Riera A., Raga A.C., Anglada G., López J.A., Noriega-Crespo A., Estalella R., The complex kinematical properties of the HH objects aligned with the HL Tauri and HH 30 outflows, **282**, 470
 Lukash V.N. *see* Komberg B.V.
 Lundgren S.C. *see* Becker W.
 Lynden-Bell D. *see* Pichon C.
 Lyne A.G. *see* Biggs J.D.
 Lyne A.G. *see* Graham-Smith F.
 Lyne A.G. *see* Shemar S.L.
 Lyth D.H. *see* Liddle A.R.
- McAdam W.B. *see* Jones P.A.
 Maccacaro T. *see* Ciliegi P.
 Macdonald G.H. *see* Kelly M.L.
 MacDonald J. *see* Jimenez R.
 Machalski J., Brandt W.N., The radio, optical and X-ray properties of the radio source 0927 + 352, **282**, 1305
 McHardy I.M. *see* Romero-Colmenero E.
 McLeod C.P. *see* Chaplin W.J.
 MacLeod G.C. *see* van der Walt D.J.
 McMahon R.G. *see* Hook I.M.
 McMahon R.G. *see* Storrie-Lombardi L.J.
 McNaron-Brown K. *see* Gondek D.
 Magdziarz P. *see* Gondek D.
 Marang F. *see* Menzies J.W.
 Margon B. *see* Fox D.
 Martell P.J. *see* Welsh W.F.
 Martinez P., Weiss W.W., Nelson M.J., Kreidl T.J., Roberts G.R., Mkrichian D.E., Dorokhov N.I., Dorokhova T.N., Birch P.V., The p-mode spectrum of γ Equ (HR 8097), **282**, 243
 Martinez-Pais I.G. *see* Casares J.
 Martocchia A., Matt G., Iron K α line intensity from accretion discs around rotating black holes, **282**, L53
 Mason K.O. *see* Romero-Colmenero E.
 Mason K.O. *see* Sproats L.N.
 Matsumoto M., Kubotani H., A statistical test for correlation between crater formation rate and mass extinctions, **282**, 1407
 Matsuoka M. *see* Iwasawa K.
 Matt G. *see* Martocchia A.
 Meaburn J. *see* Skopal A.
 Meaburn J., Boumis P., Walsh J.R., Steffen W., Holloway A.J., Williams R.J.R., Bryce M., Highly supersonic motions within the outer features of the η Carinae nebula, **282**, 1313
 Mehren S. *see* Glatzel W.
 Méndez V., Pavón D., Exact solutions connecting radiation and matter eras using imperfect fluids, **282**, 753
 Mennella V. *see* Zubko V.G.
 Menzies J.W., Marang F., *UBV(RI)*_C observations of Johnson's standard sequence in IC 4665, **282**, 313
 Mestel L. *see* Barker D.M.
 Miley G.K. *see* Röttgering H.J.A.
 Millar T.J. *see* Howe D.A.
 Miller B.A. *see* Chaplin W.J.
 Mittaz J.P.D. *see* Romero-Colmenero E.
 Mkrichian D.E. *see* Martinez P.
 Mo H.J., Jing Y.P., White S.D.M., The correlation function of clusters of galaxies and the amplitude of mass fluctuations in the Universe, **282**, 1096
 Mo H.J., White S.D.M., An analytic model for the spatial clustering of dark matter haloes, **282**, 347
 Mobasher B., Rowan-Robinson M., Georgakakis A., Eaton N., The nature of the faint galaxies in the *Hubble Deep Field*, **282**, L7
 Moscardini L., Branchini E., Tini Brunozzi P., Borgani S., Plionis M., Coles P., The cluster distribution as a test of dark matter models – III. The cluster velocity field, **282**, 384
 Mouchet M. *see* Casares J.
- Nandra K. *see* Iwasawa K.
 Naylor T. *see* Homer L.
 Naylor T. *see* Shahbaz T.
 Naylor T., Koch-Miramond L., Ringwald F.A., Evans A., The linear polarization of non-magnetic cataclysmic variables, **282**, 873
 Nelson M.J. *see* Martinez P.
 Nelson R.P. *see* Larwood J.D.
 Neuschaefer L. *see* Roche N.
 New R. *see* Chaplin W.J.
 Noriega-Crespo A. *see* López R.
- Odell A.P., W Corvi, a contact binary with a large temperature difference, **282**, 373
 O'Donoghue D., Charles P.A., Have superhumps been seen in black hole soft X-ray transients?, **282**, 191
 Otani C. *see* Iwasawa K.
- Pagel B. *see* Jimenez R.
 Panchuk V.E. *see* Zats L.
 Pandey G., Kameswara Rao N., Lambert D.L., The emission-line spectrum of the hot R Coronae Borealis star MV Sgr, **282**, 889
 Papaloizou J.C.B. *see* Larwood J.D.
 Parkes I.M. *see* Collins C.A.
 Patrel G. *see* Rousseau J.
 Pavón D. *see* Méndez V.
 Peacock J.A. *see* Ballinger W.E.
 Pedlar A. *see* Steffen W.
 Percival J.W. *see* Graham-Smith F.
 Petit C. *see* Rousseau J.
 Petrie S., On the formation of metal cyanides and related compounds in the circumstellar envelope of IRC + 10216, **282**, 807
 Philip A.G.D. *see* Adelman S.J.
 Pichon C., Lynden-Bell D., Equilibria of flat and round galactic discs, **282**, 1143
 Piersimoni A.M. *see* Brocato E.
 Pigulski A. *see* Jerzykiewicz M.
 Plionis M. *see* Moscardini L.
 Potter S. *see* Ramsay G.
 Prada F. *see* Zhao H.
 Prieto M.A., *ROSAT* observations of 3C radio-loud sources, **282**, 421

Pringle J.E. *see* Schwarz D.H.

Raga A.C. *see* López R.

Rampazzo R. *see* Reduzzi L.

Ramsay G., Cropper M., Wu K., Potter S., Optical polarization and X-ray data on the AM Her star RE J1844-74, **282**, 726

Ramseyer T.F. *see* Allan A.

Rasio F.A. *see* Heggie D.C.

Ratnatunga K. *see* Roche N.

Ratnatunga K.U. *see* Griffiths R.E.

Rawlings J.M.C. *see* Evans A.

Reduzzi L., Longhetti M., Rampazzo R., Comparative study of fine structure in samples of isolated and paired early-type galaxies, **282**, 149

Reid N., Erratum: The M5 RR Lyrae population, **282**, 304

Rengelink R.B. *see* Röttgering H.J.A.

Renzini A. *see* Ciotti L.

Retief S.J.P. *see* van der Walt D.J.

Reyes A.L. *see* Howell S.B.

Reynolds C.S. *see* Iwasawa K.

Rich R.M. *see* Zhao H.

Richards A.M.S., Yates J.A., Cohen R.J., Proper motions of water vapour masers and bipolar outflow from NML Cygni, **282**, 665

Riera A. *see* López R.

Riley J.M. *see* Waldram E.M.

Ringwald F.A. *see* Naylor T.

Roberts G.R. *see* Martinez P.

Roberts T.P. *see* Barber C.R.

Robijn F.H.A., Eam D.J.D., Potential-density basis sets in axisymmetric coordinates, **282**, 1129

Roche N. *see* Almaini O.

Roche N., Griffiths R.E., Della Ceca R., Shanks T., Boyle B.J., Georgantopoulos I., Stewart G.C., A deep *ROSAT* survey - XI. Enhanced X-ray emission from faint galaxies, **282**, 820

Roche N., Ratnatunga K., Griffiths R.E., Im M., Neuschaefer L., Angular sizes and luminosity evolution of faint galaxies, **282**, 1247

Rodrigues D.D.C., Thomas P.A., Merger trees and the multiplicity function of haloes, **282**, 631

Romero-Colmenero E., Branduardi-Raymont G., Carrera F.J., Jones L.R., Mason K.O., McHardy I.M., Mittaz J.P.D., *ROSAT* PSPC spectra of X-ray-selected narrow-emission-line galaxies, **282**, 94
Röttgering H.J.A., Tang Y., Bremer M.A.R., de Bruyn A.G., Miley G.K., Rengelink R.B., Bremer M.N., WN 1626 + 5153: a giant radio galaxy from the WENSS survey, **282**, 1033

Rouillon-Foley C. *see* Gondhalekar P.M.

Rousseau J., Di Nella H., Paturel G., Petit C., Reduction of the COSMOS Southern Sky galaxy survey data to the RC3 standard system, **282**, 144

Rowan-Robinson M. *see* Mobasher B.

Rucinski S.M., Kaluzny J., Hilditch R.W., A search for detached eclipsing binary systems in the oldest known open cluster NGC 6791, **282**, 705

Sahni V., Shandarin S., Accuracy of Lagrangian approximations in voids, **282**, 641

Saikia D.J., Thomasson P., Jackson N., Salter C.J., Junor W., An intrinsically asymmetric radio galaxy: 0500 + 630?, **282**, 837

Salter C.J. *see* Saikia D.J.

Savaglio S. *see* Carbone V.

Scappini F., Codella C., Radio observations in NH_3 and C_2S towards small molecular clouds and around pre-main-sequence stars, **282**, 587

Scarpa R. *see* Fasano G.

Scarrott S.M., Foley N.B., Gledhill T.M., Wolstencroft R.D., *BVRI* imaging polarimetric studies of the galaxy NGC 5128, **282**, 252

Scheuer P.A.G., Feiler R., The realignment of a black hole misaligned with its accretion disc, **282**, 291

Schmid H.M., Simulations of the Raman-scattered O VI emission lines in symbiotic stars, **282**, 511

Schmidt-Kaler T. *see* Grothues H.-G.

Schneider P. *see* Geiger B.

Schwarz D.H., Pringle J.E., A self-colliding stellar wind model for SN 1979C, **282**, 1018

Scott A.D. *see* Evans A.

Sebo K.M. *see* Wood P.R.

Shahbaz T., Bandyopadhyay R., Charles P.A., Naylor T., Infrared

spectroscopy of V404 Cygni: limits on the accretion disc contamination, **282**, 977

Shahbaz T., Smale A.P., Naylor T., Charles P.A., van Paradijs J., Hassall B.J.M., Callanan P., An atlas of optical continuum and line emission from low-mass X-ray binaries, **282**, 1437

Shahbaz T., van der Hooft F., Charles P.A., Casares J., van Paradijs J., An ellipsoidal modulation in X-ray Nova Vela 1993 (= GRS 1009-45), **282**, 147

Shahbaz T., Wood J.H., The system parameters of the polars MR Ser and ST LMi, **282**, 362

Shandarin S. *see* Sahni V.

Shanks T. *see* Almaini O.

Shanks T. *see* Roche N.

Sharples R.M. *see* Gardner J.P.

Shemar S.L., Lyne A.G., Observations of pulsar glitches, **282**, 677

Shore S.N. *see* Vanlandingham K.M.

Simonneau E. *see* Corradi R.L.M.

Simpson C., Ward M., A dynamical model for the narrow-line region of active galactic nuclei, **282**, 797

Skopal A., Bode M.F., Bryce M., Chochol D., Davis R.J., Errico L., Evans A., Eyres S.P.S., Hric L., Ivison R.J., Kenny H.T., Komzik R., Meaburn J., Tamura S., Taylor A.R., Urban Z., Vittone A.A., Multifrequency observations of the eclipsing symbiotic triple system CH Cyg during the 1992-94 active phase, **282**, 327

Smale A.P. *see* Shahbaz T.

Smith D. *see* Gondek D.

Smith K.W., Jones D.H.P., Clarke C.J., A search for rapid variability in T Tauri stars, **282**, 167

Smith M.G. *see* Baker A.C.

Sonneborn G. *see* Vanlandingham K.M.

Spelmanis R. *see* Začs L.

Spergel D.N. *see* Zhao H.

Splinter R.J. *see* Bhavsar S.P.

Sproats L.N., Howell S.B., Mason K.O., Infrared colours, distance determination and absolute magnitudes of a sample of faint cataclysmic variables, **282**, 1211

Spurzem R., Aarseth S.J., Direct collisional simulation of 10 000 particles past core collapse, **282**, 19

Starrfield S. *see* Vanlandingham K.M.

Steffen W. *see* Meaburn J.

Steffen W., Holloway A.J., Pedlar A., IRAS 04210 + 0400: modelling the optical spectra from flaring large-scale jets, **282**, 1203

Steffen W., Holloway A.J., Pedlar A., Jets and the emission-line spiral structure in IRAS 04210 + 0400, **282**, 130

Stehle R. *see* Kolb U.

Steiner J.E. *see* Baptista R.

Stewart G.C. *see* Almaini O.

Stewart G.C. *see* Roche N.

Still M.D., An accretion model for the eclipsing cataclysmic variable PG 0859 + 415, **282**, 943

Storrie-Lombardi L.J., Irwin M.J., McMahon R.G., APM $z \geq 4$ survey: distribution and evolution of high column density H I absorbers, **282**, 1330

Syer D., Tremaine S., Made-to-measure *N*-body systems, **282**, 223

Tadros H., Efstathiou G., Power spectrum analysis of the Stromlo-APM redshift survey, **282**, 1381

Tamura S. *see* Skopal A.

Tanaka Y. *see* Iwasawa K.

Tang Y. *see* Röttgering H.J.A.

Taylor A.N., Hamilton A.J.S., Non-linear cosmological power spectra in real and redshift space, **282**, 767

Taylor A.R. *see* Skopal A.

Taylor S.D., Williams D.A., Molecular emission ahead of Herbig-Haro bow shocks, **282**, 1343

Terlevich R. *see* Cid Fernandes R., Jr

Terquem C. *see* Larwood J.D.

Testa V. *see* Brocato E.

Thejll P. *see* Jimenez R.

Theuns T. *see* Catelan P.

Thomas P.A. *see* Rodrigues D.D.C.

Thomasson P. *see* Saikia D.J.

Tini Brunozi P. *see* Moscardini L.

Tipler F.J., Newtonian cosmology revisited, **282**, 206

Tout C.A. *see* Warner B.

Tremaine S. *see* Syer D.

Trümper J. *see* Becker W.

- Tsai J.C., Buote D.A., Cosmological implications of galaxy cluster evolution, **282**, 77
- Tsiklauri D., Viollier R.D., On possible signatures of heavy neutrino balls in active galactic nuclei, **282**, 1299
- Urban Z. *see* Skopal A.
- Uryū K., Eriguchi Y., Existence of non-axisymmetric polytropes sustained by internal motions, **282**, 653
- van der Hooft F. *see* Shahbaz T.
- van der Marel R.P. *see* de Bruijne J.H.J.
- van der Walt D.J., Retief S.J.P., Gaylard M.J., MacLeod G.C., A search for $5\text{--}60\text{ A}^+$ -methanol masers towards faint *IRAS* sources, **282**, 1085
- van Paradijs J. *see* Fox D.
- van Paradijs J. *see* Homer L.
- van Paradijs J. *see* Shahbaz T.
- Vanlandingham K.M., Starrfield S., Wagner R.M., Shore S.N., Sonneborn G., Optical and ultraviolet spectrophotometry of the ONeMg Nova V838 Herculis 1991, **282**, 563
- Verbunt F. *see* Fox D.
- Viana P.T.P. *see* Liddle A.R.
- Viollier R.D. *see* Tsiklauri D.
- Vittone A.A. *see* Skopal A.
- Wagner R.M. *see* Vanlandingham K.M.
- Waldram E.M., Yates J.A., Riley J.M., Warner P.J., The 7C survey of radio sources at 151 MHz—a region covering RA 9^{h} to 16^{h} and Dec. 20° to 35° , **282**, 779
- Wallerstein G., Gonzalez G., The carbon Cepheid V553 Cen: evidence of triple- α and CNO cycling, **282**, 1236
- Walsh J.R. *see* Meaburn J.
- Ward M. *see* Simpson C.
- Ward M.J. *see* Baker A.C.
- Warner B. *see* Howell S.B.
- Warner B., Livio M., Tout C.A., Dwarf nova outbursts in truncated accretion discs: down with low alphas, **282**, 735
- Warner P.J. *see* Waldram E.M.
- Warwick R.S. *see* Barber C.R.
- Webster A., A possible isotope shift in the spectrum of a diffuse interstellar band, **282**, 1372
- Weiss W.W. *see* Martinez P.
- Welsh W.F., Martell P.J., A comparative study of the optical pulsations in the intermediate polars, **282**, 739
- White M. *see* Liddle A.R.
- White S.D.M. *see* Mo H.J.
- Wickramasinghe D. *see* Ferrario L.
- Wild J.P., A revival of Newton's theory of gravitation, **282**, 763
- Williams D.A. *see* Taylor S.D.
- Williams D.A., Hartquist T.W., Caselli P., A comment on 'Chemical evolution in circumstellar structure of B5 IRS1' by Kelly, MacDonald & Millar, **282**, 900
- Williams R.J.R. *see* Meaburn J.
- Williams T.L., Adams N.G., Babcock L.M., Herd C.R., Geoghegan M., Production and loss of the water-related species H_3O^+ , H_2O and OH in dense interstellar clouds, **282**, 413
- Wilson G., Cole S., Frenk C.S., Constraining Ω_0 using weak gravitational lensing by clusters, **282**, 501
- Wolstencroft R.D. *see* Scarrott S.M.
- Wood J.H. *see* Shahbaz T.
- Wood P.R., Sebo K.M., On the pulsation mode of Mira variables: evidence from the Large Magellanic Cloud, **282**, 958
- Woolfson M.M. *see* Eggers S.
- Wu K. *see* Ramsay G.
- Wynne C.G., Correction of atmospheric dispersion in the infrared, **282**, 863
- Yates J.A. *see* Humphreys E.M.L.
- Yates J.A. *see* Richards A.M.S.
- Yates J.A. *see* Waldram E.M.
- Yoshida S., Eriguchi Y., Ergoregion instability revisited—a new and general method for numerical analysis of stability, **282**, 580
- Yoshii Y. *see* Burkert A.
- Začs L., Klochkova V.G., Panchuk V.E., Spēlmanis R., The chemical composition of the protoplanetary nebula candidate HD 179821, **282**, 1171
- Zdziarski A.A. *see* Gondek D.
- Zepka A.F. *see* Becker W.
- Zhao H., Prada F., New parametrizations of non-Gaussian line-of-sight velocity distributions, **282**, 1223
- Zhao H., Rich R.M., Spergel D.N., A consistent microlensing model for the Galactic bar, **282**, 175
- Zubko V.G., Mennella V., Colangeli L., Bussoletti E., Optical constants of cosmic carbon analogue grains—I. Simulation of clustering by a modified continuous distribution of ellipsoids, **282**, 1321